

Review Article:**Comparison of three types of polymers Delrin , Polyester and Nylon**

Kawther A. alwahid abdulhameed *

Attiya, H .G

Ruwaitah S. Saeed

Department of Chemistry, College of Education for Pure Sciences- Ibn-Al-Haitham ,University of Baghdad

Kawther.a.a@ihcoedu.uobaghdad.edu.iq Hanaa.g.a@ihcoedu.uobaghdad.edu.iq Ruaida.s.s@ihcoedu.uobaghdad.edu.iq

Abstract:

This article discusses three types of manufactured polymers: Delrin, nylon, and polyester. Polymers are the product of various forms of raw plastics found in nature, whereas plastics are the names given to chemically human-made polymers. Polymer substances consist of a single unit called a monomer, which binds to millions of other similar molecules to form long chains. The length of these chains, the number of branches, and how closely they relate to each other determine the physical properties of the final plastic Polymers and their privileged position in chemistry due to their chemical and physical properties. The strength of the polymer depends on the number of monomers along the chain, side groups, cross-links and branches. If the polymers consist of only one type of monomer, it is called a homopolymer, and if there is more than one monomer in the polymer series, it is called a copolymer. Increasing the length of the chain polymers leads to a high degree of colour acceptance, describing the existence of polymers with different colours. Many chemical names of polymers were used, such as plastics, and became familiar to consumers.

key words: Nylon, Polyester, Delrin, polymers.

المقال العلمي : مقارنة بين ثلاث أنواع من البوليمرات ديلرين ، النولي استر و نايلون

رويدة سمير سعيد

هنا غالي عطيه

كوثر عبد الواحد عبد الحميد

جامعة بغداد - كلية العلوم الصرفة - ابن الهيثم

الخلاصة :

في هذه المقالة سنتحدث عن ثلاثة أنواع من البوليمرات المصنعة هي دلرين والنايلون والبوليستر. البوليمرات هي في الواقع اسم منتج البلاستيك الخام الموجود في الطبيعة بأشكال مختلفة للبلاستيك هو الاسم الذي يطلق على المواد الكيميائية المصنوعة من البوليمرات بواسطة الإنسان. بالنسبة للبوليمرات ، تتكون هذه المواد من وحدة واحدة تسمى المونومر ، والتي ترتبط بملايين الجزيئات الأخرى المماثلة لتشكيل سلاسل طويلة. يحدد طول هذه السلاسل وعدد الفروع فيها ومدى ارتباطها ببعضها البعض الخصائص الفيزيائية للبلاستيك النهائي تتمتع البوليمرات بمكانة مميزة في الكيمياء بسبب خصائصها. تعتمد قوة البوليمر على عدد المونومرات ، أي على طول السلسلة والمجموعات الجانبية والروابط المتقاطعة والفروع. إذا كانت البوليمرات تتكون من نوع واحد فقط من المونومر ، فإنها تسمى بوليمر متجانس ، وإذا كان هناك أكثر من مونومر واحد في سلسلة البوليمر ، فإنه يسمى بوليمر مشترك. من خلال زيادة طول سلسلة البوليمرات لديها درجة عالية من قبول اللون ، وهذا هو السبب في أنها يمكن العثور عليها بألوان مختلفة أصبحت العديد من الأسماء الكيميائية للبوليمرات المستخدمة كلبلاستيك مأثوفة للمستهلكين.

الكلمات المفتاحية : نايلون ، بوليستر ، ديلرين ، بوليمرات.

* Corresponding author : Kawther A. alwahid abdulhameed

Introduction:

Polymers are used in many different products, including building materials like coatings and home appliances. Tires, cans, textile fibres, medical and surgical supplies, health items, packaging materials, glues, sponge brushes, electronic and electrical equipment, car parts, toys, cosmetics, and much more. Polymers we see in our daily life are either natural or manufactured. Most of what we see of polymers are industrial and produced from petroleum and natural gas. What distinguishes polymers is the multiplicity of their specifications and properties, either solid or soft, rubber, transparent, opaque, insulating or sometimes transmitting, resistant to ambient conditions and lightweight. Since their molecules are constructed in the shape of chains which are linked in various ways to create products with different specifications, its structure is crucial to its products' diversity [1].

History of Polymers:

The history of synthetic plastics dates back almost a century, and there is no doubt that the widespread use of plastics, or what are known as polymers, has markedly advanced modern chemical science and set it apart from previous eras in human history. Polymer science is particularly noteworthy because, until after 1920 AD, the composition of these giant molecules—known as polymers—was unknown. Since ancient times, polymers were identified as rubber derived from plants formerly referred to as crying trees. The building blocks of significant industrial products are polymers. In addition to social causes, their rapid growth in production is a result of the need to replace traditional materials. J. J. Berzelius, a Swedish chemist, used the term "polymer." For instance, he believed that benzene (C₆H₆) was a polymer of ethyne (C₂H₂). Later on, a minor change was made to this definition. [2] Polymer science is a fairly young field of study that works with materials that are widely used in modern life, such as rubbers, plastics, adhesives, coatings, sealants, and synthetic and natural fibres. One of the most influential concepts of the 20th century is the idea of polymers. It was first proposed in the 1920s amidst protracted debate, and the 1902 Nobel Prize winner H. Staudinger is strongly linked to its adoption. It is possible to list many of the instances of synthetic polymers; some commonplace, such as nylons or polyesters, and others less well-known, such as those utilized in organ medical applications,

biodegradable sutures, polyester, nylon, and Delrin, among others. [3]

Polyesters

Ellis discovered unsaturated polyesters (UPES) in 1933, and they went on sale in 1942. Those polycondensation products are called alkyds; their name seems to have come from the combination of the words alcohol (alk) and acid (yd); their main application is as coatings. Phthalic anhydride and glycerol are components of the same family that are used in glycerophthalic (Glyptal) coatings [4]. Polyesters are made of both manufactured materials like polybutyrate and naturally occurring substances like those found in insects and plants. The majority of synthetic polyesters are not biodegradable. However, certain synthetic and natural polyesters are. Clothes made of synthetic polyesters are widely utilized. Occasionally, natural and polyester fibres are spun together to create a textile with mixed qualities. Blends of polyester and cotton could be robust, resistant to rips and wrinkles, and less likely to shrink [5]. Among the first liquid crystal polymers to be employed in industry were polyesters. Their mechanical qualities and heat resistance make them useful. Those characteristics are also crucial for their use as an abrasion-resistant seal in jet engines. [6] Natural polyesters include the cutin found in plant cuticles, which is made up of derivatives of omega hydroxy acids joined by ester bonds for forming polyester polymers with varying sizes [7]. Bees belonging to the genus *Colletes* are known as "polyester bees" [8] because they secrete a polyester coating similar to cellophane for their underground brood cells. Polyester synthesis is often accomplished using a polycondensation process. The general formula for a diol and diacid reaction is:



Biodegradation and environmental concerns

Polyester plastic reinforced with fibreglass, poly (methyl methacrylate), and polyester-polyurethane have been used to construct the Futuro houses. It was discovered that cyanobacteria and archaea were degrading one house. [9, 10]

2-Nylon

A family of synthetic polymers known as nylon has amide backbones that are typically used to link aliphatic or semi-aromatic groups. Nylons are silky and colourless or white [11, 12]; some even resemble silk [13]. Because they are thermoplastic, they may be melted and formed into a variety of

shapes and fibres [14-16]. Blending nylons with a wide range of additives can change their characteristics. DuPont researchers started working on cellulose-based fibres, which eventually led to the creation of rayon, a synthetic fibre. DuPont's research and marketing of nylon benefited greatly from its experience with rayon [17]. Over the course of eleven years, DuPont invented nylon, which was the first synthetic thermoplastic polymer to be successfully sold on the market [18]. Wallace Hume Carothers created nylon 66, the first nylon, on February 28, 1930, at DuPont's research laboratory at the DuPont Experimental Station. [19,20]

PA 6 or Nylon 6: $[\text{NH}-(\text{CH}_2)_5-\text{CO}]_n$ made from ϵ -caprolactam.

PA 66 or Nylon 66: $[\text{NH}-(\text{CH}_2)_4-\text{NH}-\text{CO}-(\text{CH}_2)_6-\text{CO}]_n$ made from hexamethylenediamine and adipic acid

PA 66: $[\text{NH}-(\text{CH}_2)_4-\text{NH}-\text{CO}-(\text{CH}_2)_6-\text{CO}]_n$ made from caprolactam, hexamethylenediamine and adipic acid




Biodegradation and environmental concerns of Nylon


The low level of toxicity present in all side products and raw materials throughout processing and production.

2- Delrin

German chemist Hermann Staudinger, winner of the 1952 Chemistry Nobel Prize, made the discovery of polyoxymethylene [21]. DuPont finished building a facility in Parkersburg, West Virginia, in 1960 to manufacture Delrin, its own brand of acetal resin. [22].

Table (1) : Physical and Chemical Properties for polymers

Polymer	repeat unit	functional group	properties of natural Polyester	properties of synthetic Polyester	Name
Polyester	Ester functional group		-plant-derived fibers. When set to ignite, they could melt and are less fire-resistant.	Have high water, wind, and environmental resistance	polyethylene terephthalate (PET)(23)
1- PA or Nylon 6	ϵ -caprolactam		not absorbent due to crystallinity,	Lustrous Elastic Very strong	polymerization. (24)
2- Nylon 66	hexamethylenediamine and adipic acid		Excellent for Abrasion resistance; the Good Dimensional stability: Have Excellent Resiliency and Hand feel: Soft and smooth	Damage resistant to oil and many chemicals Resilient Does not absorb water	
3- Nylon 66	caprolactam, hexamethylenediamine and adipic acid;				

Delrin POM (acetal)	Oxymethylene		Good strength retention at high temperatures: flexural modulus is 18,000 and tensile strength is 2,000 psi at 200° F.	has great resistance to organic solvents, However, environments involving strong acids, bases or oxidizing agents are not suitable for this material., Delrin is ideal for underground applications since it is impervious to insects, fungi, and rodents.	Polyoxymethylene (20)
---------------------------	--------------	---	---	--	-----------------------

Conclusion

Originally created to be a chemist's domain, polymers are currently closely linked to engineering as well, being used in product design, manufacture, and testing, as well as fibres, plastics, and elastomers. The polymer business has shown over the past few decades that rapidly developing and introducing enhanced and new products is an increasingly vital requirement. Plastics have led the way in the development of this family of engineering materials throughout the past century, with fibres and elastomers following closely behind. The significance of nylon and polyethylene terephthalate is due to a number of factors. PTA or DMT and MEG are reasonably simply accessible raw materials. The synthesis process is a simple chemical reaction that is widely understood and characterized. Hexamethylenediamine is used to make the most popular nylon polymers; this compound has one more CH₂ group than cadaverine. Delrin POM is a hard plastic that is about as robust as it gets. Glass-fiber reinforcement is a common application for epoxy, yet POM will not adhere to it. Thus, it is not a viable alternative.

REFERENCES

- [1] Book of Polymers Dr. Jamal Al-Rifai - 2011 Saudi Arabia
- [2] J. W. Nicholson, Educ. Chem. 28, 70 (1991).
- [3] H. G. Elias, An Introduction to Plastics. VCH, Weinheim (1993).
- [4] J. A. Charrier, Polymeric Materials and Processing. Hanser, Munich (1990).
- [5] Mendelson C. (2000). Home Comforts: The Art and Science of Keeping House. Simon and Schuster. ISBN 978-0-74327287-0.

[6] "Thermal Spray Abradable Coatings". www.gordonengland.co.uk. Retrieved 12 December 2018

[7] Hefetz, Abraham; Fales, Henry M.; Batra, Suzanne W. T. (1979). "Natural Polyesters: Dufour's Gland Macrocyclic Lactones Form Brood Cell Laminesters in Colletes Bees". *Science*. 204 (4391): 410–417. Bibcode:1979Sci...204..410H. doi:10.1126/science.204.4391.410. PMID 17708016. S2CID 41342994

[8] Eveleth, R. and D. Chachra. Can Bees Make Tupperware? *Scientific American* December 19, 2011

[9] Cappitelli F, Principi P, Sorlini C (2006). "Biodeterioration of modern materials in contemporary collections: can biotechnology help?". *Trends in Biotechnology*. 24 (8): 300–3. doi:10.1016/j.tibtech.2006.06.001. PMID 16782219.

[10] Rinaldi A (2006). "Saving a fragile legacy. Biotechnology and microbiology are increasingly used to preserve and restore the world's cultural heritage". *EMBO Reports*. 7 (11): 1070–9. doi:10.1038/sj.embor.7400844. PMC 1679780. PMID 17077876

[11] Clark, Jim. "Polyamides". Chemguide. Retrieved 27 January 2010.

[12] "Nylon". *Encyclopedia Britannica*. Retrieved 2020-12-30.

[13] Lew, Darrin (2021-04-19). "Theoretical Comparison Between Nylon and Silk - Global Warming". Dr. Darrin Lew. Retrieved 2021-06-24.

[14] Vogler, H. (2013). "Wettstreit um die Polyamidfasern". *Chemie in unserer Zeit*. 47: 72–73. doi:10.1002/ciuz.201390006

- [10] Nylon, a Petroleum Polymer". American Oil and Gas Historical Society. Retrieved 21 June 2017.
- [11] Kohan, Melvin (1990). Nylon Plastics Handbook. Munich: Carl Hanser Verlag. ISBN 1069901899.
- [12] Ndiaye, Pap A.; Forster, Elborg (2007). Nylon and bombs : DuPont and the march of modern America. Baltimore: Johns Hopkins University Press. p. 182. ISBN 9780801884443. Retrieved 19 June 2017
- [13] Science of Plastics". Science History Institute. 2016-07-18. Retrieved 26 March 2018.
- [14] American Chemical Society National Historic Chemical Landmarks. "Foundations of Polymer Science: Wallace Hume Carothers and the Development of Nylon". ACS Chemistry for Life. Retrieved 27 January 2010.
- [15] Wallace Hume Carothers". Science History Institute. June 2016. Retrieved 20 March 2018
- [16] The Nobel Prize in Chemistry 1903". NobelPrize.org. Retrieved 8 March 2016
- [17] Paul C. Painter; Michael M. Coleman (2008). Essentials of Polymer Science and Engineering. DEStech Publications, Inc. pp. 313-. ISBN 978-1-932078-70-6
- [18] öpnick H, Schmidt M, Brüggling W, Rüter J, Kaminsky W (June 2000). "Polyesters". Ullmann's Encyclopedia of Industrial Chemistry. Weinheim, Germany: Wiley-VCH Verlag GmbH & Co. KGaA.
- [19] zytel - PA6, PA66, PA610, PA612, PA66 - dupont". Material Data Center. Retrieved 19 June 2017
- [20] Colored Delrin". Retrieved 12 March 2021